



PERSONAL PROTECTIVE EQUIPMENT



Turkey's Brand Which Protecting the World



BX-5200



BX-5010 Solo



BX-3200



TABCAP Helmet - Yazlık



TABCAP Helmet - Kışlık



BX-2550 Armor



BX-2500 Comfort



BX-2500 Comfort Ergo



BX-2500 Comfort Dual





2550 ARMOR



Innovation Health & Medical

PROVIDES FULL PROTECTION



Innovation
Health & Medical



Innovation
Health & Medical

Turkey's Largest Protective And Medical Goggles Manufacturer




150+

Number of Employees



40+

Machine Park



600+

Model Type



39+

Export Countries

EN STANDARDS FOR EYE AND FACE PROTECTIVES

- EN 166 Technical performance standard
- EN 167 Methods for optical testing
- EN 168 Tests Other Than Optical tests
- EN 169 Welding filters
- EN 170 Ultraviolet filters
- EN 171 Infrared ray filters
- EN 172 Sunglare filters for industrial use
- EN 175 Face protection equipment in welding operations
- EN 207 Laser protective product
- EN 208 Protectors for laser adjustment
- EN 379 covers requirements for automatic welding filters that change the light transmittance to a predetermined lower value when a welding arc is ignited.
- EN 1731 covers test methods and marking rules for cage-type eye and face protectors.

LENS AND FRAME MARKINGS AND THEIR MEANINGS





Meanings of Markings

| Code number | Detail | Darkness Number | Detail | VLT |
|-------------|------------------------------------|-----------------|--|---------------|
| 2 | Ultraviolet (UV) | 1.2 | Transparent | %100 – %74.4 |
| 2C & 3 | Good color separation (UV) | 1.7 | Indoor/Outdoor, Yellow, Transparent, Mirrored, UVR | %58.1 – %43.2 |
| 4 | Infrared (IR) | 2.5 | Brown, Gray | %29.1 – %17.8 |
| 5 | Sunlight filter without IR feature | 3.1 | G15, Gray Mirrored | %17.8 – %8 |
| 6 | Sunlight filter with IR | 3,4,5,...11 | Welder | – |

Protection Class

2 or 3: UV filter (EN170)

4: IR filter (EN171)

5 or 6: sunglare filter (EN172)

Color Perception

C: undistorted color detection

Lens Darkness

C: undistorted color detection

Manufacturer

Manufacturer Identification (Logo, Emblem)

Optical Class

1 High optical quality No optical distortion (Suitable for continuous use)

Mechanical Strength

S: Very strong, 22mm diameter, 43gr weight, resistant to a ball dropped from 1.30m height

F: Low-energy impact, resistance to a ball with a diameter of 6mm, a weight of 0.86gr, and a speed of 45m/sec.

B: Moderate impact, resistance to a ball with a diameter of 6mm, a weight of 0.86gr, and a speed of 120m/sec.

A: High-energy impact, resistance to a ball with a diameter of 6mm, a weight of 0.86gr, and a speed of 190m/sec.

K: Resistance to surface damage with real particles (Optional)

N: ANTI-FOG (Optional)

T: Allows use in the presence of high-speed particles with extreme temperatures, immediately after the mechanical strength symbol

If there is an odd number for the filter and the code, the filter is a welding filter.

VLT: Visible light transmittance.

Optical Class

| Optical Class | Circular Refraction Force | Astigmatic Refractive Strength |
|---------------|---------------------------|--------------------------------|
| 1 | ± 0.06 | 0.06 |
| 2 | ± 0.12 | 0.12 |
| 3 | ± 0.12 / 0.25 | 0.25 |

Optional Requirements

| | |
|---|---|
| K | Particle surface damage resistance |
| N | Lens fogging resistance |
| T | Protection against high-speed particles at extreme temperatures |
| H | Frame suitable for small faces |
| R | Improved mirroring |

Protection Against High-Speed Foreign Object Splashes

| Mechanical | Impact | Max. Speed | Dia-meter | Gram | Lens Mate-rial | Goggles | Full Protection Goggles | Face Visor |
|------------|----------------------|------------|-----------|---------|---------------------------|---------|-------------------------|------------|
| Resistance | Level | | | | | | | |
| A | High Energy Impact | 190m/sec | ø 6mm | 0.86 gr | Polycarbonate | | | + |
| B | Medium Energy Impact | 120m/sec | ø 6mm | 0.86 gr | Polycarbonate | | + | + |
| F | Low-Energy Impact | 45m/sec | ø 6mm | 0.86 gr | Polycarbonate, | + | + | + |
| Acetate | + | + | + | 43 gr | CR39, Sertleştirilmiş Cam | + | + | + |
| S | Increased Force | 5.1m/sec | ø 22mm | 43 gr | CR39, Toughened Glass | + | + | + |

The letter "T" used just after the F, B, A mechanical strength symbol means it provides protection against high velocity particles at extreme temperatures.

Usage Area by Code

| Codes | Usage Area | Full Protection Goggles | Face Visor |
|---------|--|-------------------------|------------|
| No code | Unidentified mechanical risks, risks from UV, visible IR and solar radiation | | |
| 3 | Chemical Liquids (Drop and Splash) | + | + |
| 4 | Particle size > Dust larger than 5µm | + | |
| 5 | Gas, vapor, spray, smoke and particle size < Powders smaller than 5µm | + | |
| 8 | Protection from live contact and short-circuit electric arcs | | + |
| 9 | Protection from hot liquids and solids, intense heat radiation, radiant heat protection from furnaces. | + | |

EN STANDARDS FOR HEAD PROTECTIVES

EN Standards for Helmets, Visor Helmets, Caps, Knitted Caps and Hats

- **EN ISO 13911** This standard covers minimum safety requirements and test methods for a fire hood worn during firefighting and related activities.
- **EN 397+A1** This standard covers the physical and performance characteristics, test methods and marking of industrial safety helmets.
- **EN 50365** This standard covers electrically insulated heads for use in low voltage installations.
- **EN 471** This standard specifies requirements for protective clothing designed to visually indicate the presence of the user in dangerous situations under the illumination of vehicle headlights in daylight and in the dark.
- **EN 443** This standard covers the basic requirements for durability, comfort and level of protection for the firefighter's helmet.
- **EN 14458** Face shields and eye shields for use by firefighters, high performance industrial safety helmets for use in firefighters, ambulance and emergency services
- **EN 171** This standard covers the scale numbers and permeability characteristics of filters providing protection against infrared radiation.
- **EN 812:2012** Bump cap, it covers the physical rules, performance rules, test methods and marking rules for bump caps used in industry.
- **EN 12492** Mountaineering Equipment - Protective Headgear for Mountaineers - Safety Rules and Test Methods



Opia 5010

Opia



Innovation
Health & Medical

SINGLE STAND



120 CM



220 CM

70 CM

PRICE

opia SINGLE STAND





innovation
Health & Medical


DOUBLE STAND



140 CM

opia

opia



220 CM

20 CM


PRICE

opia DOUBLE STAND





Max-Weld BX-5010 Dual



5010 LENS

Power Supply Type: Solar Energy + Battery
Bright Mode Level: DIN3
Dark Mode Level: DIN11
Lens Size: 110*90mm
Visible Area: 90*30mm
Dark Mode Setting Method: Not Adjustable
Dimming Response Time: 1/10000s
Response Time: 0.1s
Number of Welding Detection Sensors: 2
Greynding Function: No
Launch Sensitivity: Not Adjustable
Delay Sensitivity: Not Adjustable
Operating Temperature: -10°C~65°C

PROTECTIVE STANDARD
 EN 166 - EN 170 - EN 175 - EN 379

PRICE

| BX-5010 DUAL COLORMATIC MASK |
|------------------------------|
| |

ACCESSORY PRICES

| COLORMATIC LENS | TRANSPARENT EXTERIOR PROTECTION LENS | ANTI-FOG TRANSPARENT INTERIOR GRINDING LENS |
|-----------------|--------------------------------------|---|
| | | |

PACKAGE DETAILS



- Number of Boxes:** 1 Piece
- Number of Parcels:** 12 Piece
- Product Weight:** 695 Gr
- Parcel Weight:** 10,5 Kg
- Parcel Dimension:** 69x47x62 Cm



Max-Weld BX-5010 Dual Adjustable



BX-5020 ADJUSTABLE LENS

Power Supply Type: Solar Energy + Battery
Bright Mode Level: DIN3
Dark Mode Level: DIN9-11
Lens Size: 110*90mm
Visible Area: 90*30mm
Dark Mode Setting Method: Adjustable
Dimming Response Time: 1/10000s
Response Time: 0.1s
Number of Welding Detection Sensors: 2
Greynding Function: Yes
Launch Sensitivity: Not Adjustable
Delay Sensitivity: Not Adjustable
Operating Temperature: -10°C~65°C

PROTECTIVE STANDARD

EN 166 - EN 170 - EN 175 - EN 379


PRICE

BX-5010 DUAL COLORMATIC MASK



ACCESSORY PRICES

COLORMATIC LENS



TRANSPARENT EXTERIOR PROTECTION LENS



ANTI-FOG TRANSPARENT INTERIOR GRINDING LENS



PACKAGE DETAILS



Number of Boxes: 1 Piece



Number of Parcels: 12 Piece



Product Weight: 695 Gr



Parcel Weight: 10,5 Kg



Parcel Dimension: 69x47x62 Cm



Max-Weld BX-5010 Dual Pro Adjustable



PROTECTIVE STANDARD

EN 166 - EN 170 - EN 175 - EN 379



BX-5030 PRO ADJUSTABLE LENS

Power Supply Type: Solar Energy + Battery
Bright Mode Level: DIN3
Dark Mode Level: DIN9-13
Lens Size: 110*90mm
Visible Area: 92x43mm
Dark Mode Setting Method: Adjustable
Dimming Response Time: 1/5000s
Response Time: 0.1s
Number of Welding Detection Sensors: 2
Greynding Function: Yes
Launch Sensitivity: Adjustable
Delay Sensitivity: Adjustable
Operating Temperature: -10°C~65°C

PRICE

BX-5010 DUAL COLORMATIC MASK




ACCESSORY PRICES

COLORMATIC LENS



TRANSPARENT EXTERIOR
PROTECTION LENS



ANTI-FOG TRANSPARENT INTERIOR
GRINDING LENS



PACKAGE DETAILS



Number of Boxes: 1 Piece



Number of Parcels: 12 Piece



Product Weight: 695 Gr




Parcel Weight: 10,5 Kg



Parcel Dimension: 69x47x62 Cm



Max-Weld BX-5010 Solo



BX-5010 LENS

Power Supply Type: Solar Energy + Battery
Bright Mode Level: DIN3
Dark Mode Level: DIN11
Lens Size: 110*90mm
Visible Area: 90*30mm
Dark Mode Setting Method: Not Adjustable
Dimming Response Time: 1/10000s
Response Time: 0.1s
Number of Welding Detection Sensors: 2
Greynding Function: No
Launch Sensitivity: Not Adjustable
Delay Sensitivity: Not Adjustable
Operating Temperature: -10°C~65°C

PROTECTIVE STANDARD

EN 175 - EN 379

PRICE

BX-5010 SOLO COLORMATIC MASK



ACCESSORY PRICES

COLORMATIC LENS



TRANSPARENT EXTERIOR
PROTECTION LENS



PACKAGE DETAILS



Number of Boxes: 1 Piece



Number of Parcels: 12 Piece



Product Weight: 475 Gr



Parcel Weight: 8 Kg



Parcel Dimension: 69x47x62 Cm




Max-Weld BX-5010 Solo Adjustable



PROTECTIVE STANDARD

EN 175 - EN 379



BX-5020 ADJUSTABLE LENS

Power Supply Type: Solar Energy + Battery
Bright Mode Level: DIN3
Dark Mode Level: DIN9-11
Lens Size: 110*90mm
Visible Area: 90*30mm
Dark Mode Setting Method: Adjustable
Dimming Response Time: 1/10000s
Response Time: 0.1s
Number of Welding Detection Sensors: 2
Greynding Function: Yes
Launch Sensitivity: Not Adjustable
Delay Sensitivity: Not Adjustable
Operating Temperature: -10°C~65°C

PRICE



ACCESSORY PRICES



PACKAGE DETAILS



Number of Boxes: 1 Piece



Number of Parcels: 12 Piece



Product Weight: 475 Gr



Parcel Weight: 8 Kg



Parcel Dimension: 69x47x62 Cm




Max-Weld BX-5010 Solo Pro Adjustable



PROTECTIVE STANDARD

EN 175 - EN 379




BX-5030 PRO ADJUSTABLE LENS

Power Supply Type: Solar Energy + Battery
Bright Mode Level: DIN3
Dark Mode Level: DIN9-13
Lens Size: 110*90mm
Visible Area: 92*43mm
Dark Mode Setting Method: Adjustable
Dimming Response Time: 1/5000s
Response Time: 0.1s
Number of Welding Detection Sensors: 2
Greynding Function: Yes
Launch Sensitivity: Adjustable
Delay Sensitivity: Adjustable
Operating Temperature: -10°C~65°C

PRICE



ACCESSORY PRICES



PACKAGE DETAILS



Number of Boxes: 1 Piece



Number of Parcels: 12 Piece



Product Weight: 475 Gr



Parcel Weight: 8 Kg



Parcel Dimension: 69x47x62 Cm



Max-Weld BX-5200 Wide



HEAD WELDING MASK WIDE 8X11 CM WITH COVER



PROTECTIVE STANDARD

EN 175 - EN 379

Glass excluded.

PRICE

BX-5200 WIDE COVER



PACKAGE DETAILS



Number of Parcels: 50 Piece



Product Weight: 455 Gr



Parcel Weight: 7,6 Kg



Parcel Dimension: 69x47x62 Cm



Max-Weld BX-5200 Narrow



HEAD WELDING MASK NARROW 5X11 CM WITH COVER



PROTECTIVE STANDARD

EN 175 - EN 379

Glass excluded.

PRICE

BX-5200 NARROW

PACKAGE DETAILS



Number of Parcels: 50 Piece



Product Weight: 455 Gr



Parcel Weight: 7,6 Kg



Parcel Dimension: 69x47x62 Cm

opia



AUTOMATIC DARKENING WELDING GOGGLES

FULL COMFORT

Two Convenient Ways of Use



ADJUSTABLE TEMPLES

**ADJUSTABLE BELT
ACCORDING TO
HEAD STRUCTURE**





Max-Weld BX-3200 Colormatic Goggles



NEW

SET CONTENT

PROTECTIVE STANDARD
EN 379




1 PCS AUTOMATIC DARKENING WELDING GOGGLES

1 ADJUSTABLE HEAD RUBBER BAND




1 PCS. PROTECTIVE ZIPPER BAG

1 PCS. SCREEN SAVER FILM

PRICE

BX-3200 Colormatic Goggles



PACKAGE DETAILS



Number of Parcels: 100 Piece



Product Weight: 70Gr



Bag Weight: 35 Gr



Parcel Weight: 12 Kg



Parcel Dimension: 53x40x36 Cm

Bumpcap Helmet Shock Absorption Hat




Bumbcap Helmet

Impact-absorbing cap is a protective cap against hitting or scraping the head against fixed or moving objects. Standard production size is 54-60cm. It fits to the head easily. It provides comfort to the user by accelerating the air flow with 6 ventilation holes. The headband is made of sponge so that it can absorb the possible impact. It has a comfortable use due to the light weight of the bump cap.



Bumpcap Helmet / Winter



PRICE

| NORMAL | WITH SPECIAL LOGO |
|--------|-------------------|
| | |

PACKAGE DETAILS



Number of Parcels: 50 Piece



Product Weight: 159 Gr



Parcel Weight: 9 Kg



Parcel Dimension: 20x40x40 Cm



Bumpcap Helmet / Summer



PRICE

| NORMAL | WITH SPECIAL LOGO |
|--------|-------------------|
| | |

PACKAGE DETAILS



Number of Parcels: 50 Piece



Product Weight: 159 Gr



Parcel Weight: 9 Kg



Parcel Dimension: 20x40x40 Cm



BX-2500 Solo









PROTECTIVE STANDARD

- EN 166
- EN 167
- EN 169
- EN 170
- EN 172



Smoke



Black



Yellow



Blue



Red



Green



Rainbow Mirrored



Silver Mirrored

PRICE

| NORMAL | ANTI-FOG (Anti-scratch) | Rainbow Mirrored | Silver Mirrored |
|--------|-------------------------|------------------|-----------------|
| | | | |

PACKAGE DETAILS



Number of Boxes: 12 Piece



Number of Parcels: 192 Piece



Product Weight: 31 Gr



Parcel Weight: 8,7 Kg



Parcel Dimension: 44x55x31,5 Cm



BX-2500 Solo Ergo







PROTECTIVE STANDARD

- EN 166
- EN 167
- EN 169
- EN 170
- EN 172

Transparent








PRICE

| NORMAL | ANTI-FOG (Anti-scratch) | Rainbow Mirrored | Silver Mirrored |
|--------|-------------------------|------------------|-----------------|
| | | | |

PACKAGE DETAILS



-  **Number of Boxes:** 12 Piece
-  **Number of Parcels:** 192 Piece
-  **Product Weight:** 35 Gr
-  **Parcel Weight:** 9,3 Kg
-  **Parcel Dimension:** 44x55x31,5 Cm



BX-2500 Solo Dual







PROTECTIVE STANDARD

- EN 166
- EN 167
- EN 169
- EN 170
- EN 172

Transparent






| | | | |
|--|---|--|---|
|  |  |  |  |
| Smoke | Black | Yellow | Blue |
|  |  |  |  |
| Red | Green | Rainbow Mirrored | Silver Mirrored |

PRICE

| NORMAL | ANTI-FOG (Anti-scratch) | Rainbow Mirrored | Silver Mirrored |
|--------|-------------------------|------------------|-----------------|
| | | | |

PACKAGE DETAILS



-  **Number of Boxes:** 12 Piece
-  **Number of Parcels:** 192 Piece
-  **Product Weight:** 45 Gr
-  **Parcel Weight:** 11,2 Kg
-  **Parcel Dimension:** 44x55x31,5 Cm



BX-2500 Comfort



PROTECTIVE STANDARD

- EN 166
- EN 167
- EN 169
- EN 170
- EN 172



Transparent



Smoke



Black



Yellow



Blue



Red



Green



Rainbow Mirrored



Silver Mirrored

PRICE

| NORMAL | ANTI-FOG (Anti-scratch) | Rainbow Mirrored | Silver Mirrored |
|--------|-------------------------|------------------|-----------------|
| | | | |

PACKAGE DETAILS



Number of Boxes: 12 Piece



Number of Parcels: 192 Piece



Product Weight: 45 Gr



Parcel Weight: 11,2 Kg



Parcel Dimension: 44x55x31,5 Cm



BX-2500 Comfort Ergo



PROTECTIVE STANDARD

- EN 166
- EN 167
- EN 169
- EN 170
- EN 172

NEW



Transparent



Smoke



Black



Yellow



Blue



Red



Green



Rainbow Mirrored



Silver Mirrored

PRICE

| NORMAL | ANTI-FOG (Anti-scratch) | Rainbow Mirrored | Silver Mirrored |
|--------|-------------------------|------------------|-----------------|
| | | | |

PACKAGE DETAILS



Number of Boxes: 12 Piece



Number of Parcels: 192 Piece



Product Weight: 47,5 Gr



Parcel Weight: 11,7 Kg



Parcel Dimension: 44x55x31,5 Cm



BX-2500 Comfort Dual



PROTECTIVE STANDARD

- EN 166
- EN 167
- EN 169
- EN 170
- EN 172

Transparent



Smoke



Black



Yellow



Blue



Red



Green



Rainbow Mirrored



Silver Mirrored

PRICE

| NORMAL | ANTI-FOG (Anti-scratch) | Rainbow Mirrored | Silver Mirrored |
|--------|-------------------------|------------------|-----------------|
| | | | |

PACKAGE DETAILS



Number of Boxes: 12 Piece



Number of Parcels: 192 Piece



Product Weight: 57,3 Gr



Parcel Weight: 13,6 Kg



Parcel Dimension: 44x55x31,5 Cm



BX-2550 Armor







PROTECTIVE STANDARD
 EN 166
 EN 167
 EN 169
 EN 170
 EN 172

Transparent






| | | | |
|--|---|---|---|
|  Smoke |  Black |  Yellow |  Blue |
|  Red |  Green |  Rainbow Mirrored |  Silver Mirrored |

PRICE

| NORMAL | ANTI-FOG (Anti-scratch) | Rainbow Mirrored | Silver Mirrored |
|--------|-------------------------|------------------|-----------------|
| | | | |

PACKAGE DETAILS



-  **Number of Boxes:** 12 Piece
-  **Number of Parcels:** 72 Piece
-  **Product Weight:** 82 Gr
-  **Parcel Weight:** 7,77 Kg
-  **Parcel Dimension:** 28x58x37 Cm

S-500 Silver Mirrored



Meet our New Silver Mirrored Lens Model

It protects the eye from damage of sunlight and glare. It helps in welding and to distinguish traffic lights while driving. It provides UV filtered protection against 99.9% radiation up to 385 nm.



Anti-fog and Anti-Scratch

OUR COVID-19 MODELS



PROTECTIVE GOGGLES AGAINST INFECTIOUS DISEASES



S-400




S-550



S-700



S-1551



S-1551-V



BX-2550



S-600 ANTI-FOG GLASSES SET WITH BAG



Set Content

- ✓ Yellow, Smoke, Welding and Transparent Lens with Anti-Fog (Anti-Fog and Anti-Scratch) feature
- ✓ Bag made of impact and water-resistant special fabric
- ✓ S-600 style frame with detachable feature
- ✓ Goggles cleaning wipes

* Can be attached to a belt, made of impact and water-resistant special fabric. There are special sections for lenses inside.

You may add the colors you wish.



PRICE

| ADDITIONAL LENS PRICE | SET PRICE |
|-----------------------|-----------|
| | |



Number of Parcels: 48 Sets



S-300 SPORT



PRICE

| NORMAL | ANTI-FOG (Anti-scratch) | Rainbow Mirrored | Silver Mirrored |
|--------|-------------------------|------------------|-----------------|
| | | | |

PACKAGE DETAILS



Number of Boxes: 12 Piece



Number of Parcels: 360 Piece



Product Weight: 30 Gr



Parcel Weight: 15 Kg



Parcel Dimension: 56x50x56 Cm



S-400 STANDARD



PROTECTIVE STANDARD

EN 166

EN 170

Adjustable

Transparent



Smoke




Black



Yellow



Blue



Red



Green



Rainbow Mirrored



Silver Mirrored

PRICE

| NORMAL | ANTI-FOG (Anti-scratch) | Rainbow Mirrored | Silver Mirrored |
|--------|-------------------------|------------------|-----------------|
| | | | |

PACKAGE DETAILS



Number of Boxes: 12 Piece



Number of Parcels: 360 Piece



Product Weight: 30 Gr



Parcel Weight: 15,5 Kg



Parcel Dimension: 56x50x56 Cm




S-400 HUNTER



PROTECTIVE STANDARD

EN 166
EN 170



Transparent

** 4-Movement temples provide complete comfort by moving back and forth and up and down.



PRICE

| NORMAL | ANTI-FOG (Anti-scratch) | Rainbow Mirrored | Silver Mirrored |
|--------|-------------------------|------------------|-----------------|
| | | | |

PACKAGE DETAILS



Number of Boxes: 12 Piece



Number of Parcels: 360 Piece



Product Weight: 37 Gr



Parcel Weight: 17,5 Kg



Parcel Dimension: 56x50x56 Cm



S-500 DYNAMIC



PRICE

| NORMAL | ANTI-FOG (Anti-scratch) | Rainbow Mirrored | Silver Mirrored |
|--------|-------------------------|------------------|-----------------|
| | | | |

PACKAGE DETAILS



Number of Boxes: 12 Piece



Number of Parcels: 360 Piece



Product Weight: 31 Gr



Parcel Weight: 15,5 Kg



Parcel Dimension: 56x50x56 Cm



S-503 MASTER'S GLASSES



PROTECTIVE STANDARD

EN 166

EN 170



Transparent



Smoke



Black



Yellow



Blue



Red



Green



Rainbow Mirrored



Silver Mirrored

PRICE

| NORMAL | ANTI-FOG (Anti-scratch) | Rainbow Mirrored | Silver Mirrored |
|--------|-------------------------|------------------|-----------------|
| | | | |

PACKAGE DETAILS



Number of Boxes: 12 Piece



Number of Parcels: 360 Piece



Product Weight: 35 Gr



Parcel Weight: 17 Kg



Parcel Dimension: 56x50x56 Cm



S-600 STYLE



PROTECTIVE STANDARD

EN 166
EN 170



Transparent



PRICE

| NORMAL | ANTI-FOG (Anti-scratch) | Rainbow Mirrored | Silver Mirrored |
|--------|-------------------------|------------------|-----------------|
| | | | |

PACKAGE DETAILS



Number of Boxes: 12 Piece



Number of Parcels: 360 Piece



Product Weight: 32 Gr



Parcel Weight: 15,5 Kg



Parcel Dimension: 56x50x56 Cm



S-700 MAJOR (Coverspec Glasses)



PROTECTIVE STANDARD

EN 166
EN 170

Transparent



Smoke



Black



Yellow



Blue



Red



Green



Rainbow Mirrored



Silver Mirrored

PRICE

| NORMAL | ANTI-FOG (Anti-scratch) | Rainbow Mirrored | Silver Mirrored |
|--------|-------------------------|------------------|-----------------|
| | | | |

PACKAGE DETAILS



Number of Boxes: 10 Piece



Number of Parcels: 300 Piece



Product Weight: 41 Gr



Parcel Weight: 16,5 Kg



Parcel Dimension: 56x50x56 Cm



S-800 HUNTER COMFORT



PROTECTIVE STANDARD

EN 166

EN 170



Transparent



* 4-Movement temples provide complete comfort by moving back and forth and up and down.



Smoke



Black



Yellow



Blue



Red



Green



Rainbow Mirrored



Silver Mirrored

PRICE

| NORMAL | ANTI-FOG (Anti-scratch) | Rainbow Mirrored | Silver Mirrored |
|--------|-------------------------|------------------|-----------------|
| | | | |

PACKAGE DETAILS



Number of Boxes: 12 Piece



Number of Parcels: 360 Piece



Product Weight: 32 Gr



Parcel Weight: 16 Kg



Parcel Dimension: 56x50x56 Cm



S-900 CURVED



S-900 CURVED

LIGHT, CHIC

ECONOMIC

The side-curved polycarbonate lens protects the eye against external hazards.



The temples that move back and forth allow the glasses to be adjusted according to the face.





S-900 CURVED







Adjustable

PROTECTIVE STANDARD
 EN 166
 EN 167
 EN 169
 EN 170



Transparent








PRICE

| NORMAL | ANTI-FOG (Anti-scratch) | Rainbow Mirrored | Silver Mirrored |
|--------|-------------------------|------------------|-----------------|
| | | | |

PACKAGE DETAILS



-  **Number of Boxes:** 12 Piece
-  **Number of Parcels:** 360 Piece
-  **Product Weight:** 24 Gr
-  **Parcel Weight:** 13 Kg
-  **Parcel Dimension:** 56x50x56 Cm



S-1100 QUATTRO



PROTECTIVE STANDARD

EN 166
EN 170

Transparent



PRICE

| NORMAL | ANTI-FOG (Anti-scratch) | Rainbow Mirrored | Silver Mirrored |
|--------|-------------------------|------------------|-----------------|
| | | | |

PACKAGE DETAILS



Number of Boxes: 12 Piece



Number of Parcels: 360 Piece



Product Weight: 23 Gr



Parcel Weight: 12,5 Kg



Parcel Dimension: 56x50x56 Cm



S-550 GRAND



PROTECTIVE STANDARD

EN 166
EN 170

Transparent



Smoke



Black



Yellow



Blue



Red



Green



Rainbow Mirrored



Silver Mirrored

PRICE

| NORMAL | ANTI-FOG (Anti-scratch) | Rainbow Mirrored | Silver Mirrored |
|--------|-------------------------|------------------|-----------------|
| | | | |

PACKAGE DETAILS



Number of Boxes: 12 Piece



Number of Parcels: 144 Piece



Product Weight: 121 Gr



Parcel Weight: 20,5 Kg



Parcel Dimension: 57x39x57 Cm



S-550 GRAND ADJUSTABLE



PROTECTIVE STANDARD

EN 166
EN 170

Transparent



Smoke



Black



Yellow



Blue



Red



Green



Rainbow Mirrored



Silver Mirrored

PRICE

| NORMAL | ANTI-FOG (Anti-scratch) | Rainbow Mirrored | Silver Mirrored |
|--------|-------------------------|------------------|-----------------|
| | | | |

PACKAGE DETAILS



Number of Boxes: 12 Piece



Number of Parcels: 144 Piece



Product Weight: 125 Gr



Parcel Weight: 21,5 Kg





Parcel Dimension: 57x39x57 Cm



FRAME OPTIONS



Lens Colors



ASK FOR THE PRICES

ANTI-FOG

ANTI-SCRATCH



OPTIONAL ANTI-FOG FEATURE OFFERS A NET LINE OF VISION



S-1551 QUATTRO



PROTECTIVE STANDARD

EN 166
EN 169
EN 170



Transparent



Smoke



Black



Yellow



Blue



Red



Green



Rainbow Mirrored



Silver Mirrored

PRICE

| NORMAL | ANTI-FOG (Anti-scratch) | Rainbow Mirrored | Silver Mirrored |
|--------|-------------------------|------------------|-----------------|
| | | | |

PACKAGE DETAILS



Number of Boxes: 12 Piece



Number of Parcels: 144 Piece



Product Weight: 81 Gr



Parcel Weight: 15 Kg



Parcel Dimension: 57x39x57 Cm



S-1551 QUATTRO VENTILED



PROTECTIVE STANDARD

EN 166
EN 169
EN 170

Transparent



Smoke



Black



Yellow



Blue



Red



Green



Rainbow Mirrored



Silver Mirrored

PRICE

| NORMAL | ANTI-FOG (Anti-scratch) | Rainbow Mirrored | Silver Mirrored |
|--------|-------------------------|------------------|-----------------|
| | | | |

PACKAGE DETAILS



Number of Boxes: 12 Piece



Number of Parcels: 144 Piece



Product Weight: 87 Gr



Parcel Weight: 16 Kg



Parcel Dimension: 57x39x57 Cm



S-501 INTEGRAL Blue



PROTECTIVE STANDARD

EN 166

EN 170



Blue

S-502 INTEGRAL Black

PROTECTIVE STANDARD

EN 166

EN 170



Black

PRICE

NORMAL

PACKAGE DETAILS



Number of Boxes: 12 Piece



Number of Parcels: 144 Piece



Product Weight: 122 Gr



Parcel Weight: 21 Kg



Parcel Dimension: 57x39x57 Cm

S-700 MAJOR





2500 COMFORT DUAL

100% ERGONOMIC
100% COMFORT



Innovation Health & Medical

PROVIDES FULL PROTECTION

There may be a tonal difference in the product color depending on the studio lights.
All rights reserved. It cannot be reproduced, distributed or used for any other purpose without permission.
Copyright © 2022 BAYMAX Kişisel Koruyucu Donanımları Üretim Sanayi Ticaret Anonim Şirketi



Max-Weld BX-3200 Colormatic Goggles



NEW

SET CONTENT

PROTECTIVE STANDARD
EN 379



1 PCS AUTOMATIC DARKENING WELDING GOGGLES

1 ADJUSTABLE HEAD RUBBER BAND



1 PCS. PROTECTIVE ZIPPER BAG

1 PCS. SCREEN SAVER FILM

PRICE

BX-3200 Colormatic Goggles



PACKAGE DETAILS



Number of Parcels: 100 Piece



Product Weight: 70Gr



Bag Weight: 35 Gr



Parcel Weight: 12 Kg



Parcel Dimension: 53x40x36 Cm