



# PERSONAL PROTECTIVE EQUIPMENT



Turkey's Brand Which Protecting the World



BX-5200



BX-5010 Solo



BX-3200



TABCAP Helmet - Yazlık



TABCAP Helmet - Kışlık



BX-2550 Armor



BX-2500 Comfort



BX-2500 Comfort Ergo



BX-2500 Comfort Dual





**2550 ARMOR**



Innovation Health & Medical

**PROVIDES FULL PROTECTION**



Innovation  
Health & Medical



Innovation  
Health & Medical

## Turkey's Largest Protective And Medical Goggles Manufacturer




**150+**

Number of Employees



**40+**

Machine Park



**600+**

Model Type



**39+**

Export Countries

## EN STANDARDS FOR EYE AND FACE PROTECTIVES

- EN 166 Technical performance standard
- EN 167 Methods for optical testing
- EN 168 Tests Other Than Optical tests
- EN 169 Welding filters
- EN 170 Ultraviolet filters
- EN 171 Infrared ray filters
- EN 172 Sunglare filters for industrial use
- EN 175 Face protection equipment in welding operations
- EN 207 Laser protective product
- EN 208 Protectors for laser adjustment
- EN 379 covers requirements for automatic welding filters that change the light transmittance to a predetermined lower value when a welding arc is ignited.
- EN 1731 covers test methods and marking rules for cage-type eye and face protectors.

## LENS AND FRAME MARKINGS AND THEIR MEANINGS





## Meanings of Markings

Code number	Detail	Darkness Number	Detail	VLT
2	Ultraviolet (UV)	1.2	Transparent	%100 – %74.4
2C & 3	Good color separation (UV)	1.7	Indoor/Outdoor, Yellow, Transparent, Mirrored, UVR	%58.1 – %43.2
4	Infrared (IR)	2.5	Brown, Gray	%29.1 – %17.8
5	Sunlight filter without IR feature	3.1	G15, Gray Mirrored	%17.8 – %8
6	Sunlight filter with IR	3,4,5,...11	Welder	–

### Protection Class

2 or 3: UV filter (EN170)

4: IR filter (EN171)

5 or 6: sunglare filter (EN172)

### Color Perception

C: undistorted color detection

### Lens Darkness

C: undistorted color detection

### Manufacturer

Manufacturer Identification (Logo, Emblem)

### Optical Class

1 High optical quality No optical distortion  
(Suitable for continuous use)

### Mechanical Strength

S: Very strong, 22mm diameter, 43gr weight, resistant to a ball dropped from 1.30m height

F: Low-energy impact, resistance to a ball with a diameter of 6mm, a weight of 0.86gr, and a speed of 45m/sec.

B: Moderate impact, resistance to a ball with a diameter of 6mm, a weight of 0.86gr, and a speed of 120m/sec.

A: High-energy impact, resistance to a ball with a diameter of 6mm, a weight of 0.86gr, and a speed of 190m/sec.

K: Resistance to surface damage with real particles (Optional)

N: ANTI-FOG (Optional)

T: Allows use in the presence of high-speed particles with extreme temperatures, immediately after the mechanical strength symbol

If there is an odd number for the filter and the code, the filter is a welding filter.

VLT: Visible light transmittance.

### Optical Class

Optical Class	Circular Refraction Force	Astigmatic Refractive Strength
1	± 0.06	0.06
2	± 0.12	0.12
3	± 0.12 / 0.25	0.25

### Optional Requirements

K	Particle surface damage resistance
N	Lens fogging resistance
T	Protection against high-speed particles at extreme temperatures
H	Frame suitable for small faces
R	Improved mirroring

## Protection Against High-Speed Foreign Object Splashes

Mechanical	Impact	Max. Speed	Dia-meter	Gram	Lens Mate-rial	Goggles	Full Protection Goggles	Face Visor
Resistance	Level							
A	High Energy Impact	190m/sec	ø 6mm	0.86 gr	Polycarbonate			+
B	Medium Energy Impact	120m/sec	ø 6mm	0.86 gr	Polycarbonate		+	+
F	Low-Energy Impact	45m/sec	ø 6mm	0.86 gr	Polycarbonate,	+	+	+
Acetate	+	+	+	43 gr	CR39, Sertleştirilmiş Cam	+	+	+
S	Increased Force	5.1m/sec	ø 22mm	43 gr	CR39, Toughened Glass	+	+	+

The letter "T" used just after the F, B, A mechanical strength symbol means it provides protection against high velocity particles at extreme temperatures.

### Usage Area by Code

Codes	Usage Area	Full Protection Goggles	Face Visor
No code	Unidentified mechanical risks, risks from UV, visible IR and solar radiation		
3	Chemical Liquids (Drop and Splash)	+	+
4	Particle size > Dust larger than 5µm	+	
5	Gas, vapor, spray, smoke and particle size < Powders smaller than 5µm	+	
8	Protection from live contact and short-circuit electric arcs		+
9	Protection from hot liquids and solids, intense heat radiation, radiant heat protection from furnaces.	+	

## EN STANDARDS FOR HEAD PROTECTIVES

### EN Standards for Helmets, Visor Helmets, Caps, Knitted Caps and Hats

- **EN ISO 13911** This standard covers minimum safety requirements and test methods for a fire hood worn during firefighting and related activities.
- **EN 397+A1** This standard covers the physical and performance characteristics, test methods and marking of industrial safety helmets.
- **EN 50365** This standard covers electrically insulated heads for use in low voltage installations.
- **EN 471** This standard specifies requirements for protective clothing designed to visually indicate the presence of the user in dangerous situations under the illumination of vehicle headlights in daylight and in the dark.
- **EN 443** This standard covers the basic requirements for durability, comfort and level of protection for the firefighter's helmet.
- **EN 14458** Face shields and eye shields for use by firefighters, high performance industrial safety helmets for use in firefighters, ambulance and emergency services
- **EN 171** This standard covers the scale numbers and permeability characteristics of filters providing protection against infrared radiation.
- **EN 812:2012** Bump cap, it covers the physical rules, performance rules, test methods and marking rules for bump caps used in industry.
- **EN 12492** Mountaineering Equipment - Protective Headgear for Mountaineers - Safety Rules and Test Methods



Opia 5010

*Opia*



Innovation  
Health & Medical

# SINGLE STAND



120 CM



220 CM

70 CM

## PRICE

*opia* SINGLE STAND







innovation  
Health & Medical

# DOUBLE STAND



140 CM

*opia*

*opia*



220 CM

20 CM

## PRICE


*opia*

DOUBLE STAND





# Max-Weld BX-5010 Dual



**5010 LENS**

**Power Supply Type:** Solar Energy + Battery  
**Bright Mode Level:** DIN3  
**Dark Mode Level:** DIN11  
**Lens Size:** 110\*90mm  
**Visible Area:** 90\*30mm  
**Dark Mode Setting Method:** Not Adjustable  
**Dimming Response Time:** 1/10000s  
**Response Time:** 0.1s  
**Number of Welding Detection Sensors:** 2  
**Greynding Function:** No  
**Launch Sensitivity:** Not Adjustable  
**Delay Sensitivity:** Not Adjustable  
**Operating Temperature:** -10°C~65°C

**PROTECTIVE STANDARD**  
 EN 166 - EN 170 - EN 175 - EN 379

## PRICE






BX-5010 DUAL COLORMATIC MASK

## ACCESSORY PRICES

COLORMATIC LENS	TRANSPARENT EXTERIOR PROTECTION LENS	ANTI-FOG TRANSPARENT INTERIOR GRINDING LENS

## PACKAGE DETAILS



-  **Number of Boxes:** 1 Piece
-  **Number of Parcels:** 12 Piece
-  **Product Weight:** 695 Gr
-  **Parcel Weight:** 10,5 Kg
-  **Parcel Dimension:** 69x47x62 Cm



# Max-Weld BX-5010 Dual Adjustable



## BX-5020 ADJUSTABLE LENS

**Power Supply Type:** Solar Energy + Battery  
**Bright Mode Level:** DIN3  
**Dark Mode Level:** DIN9-11  
**Lens Size:** 110\*90mm  
**Visible Area:** 90\*30mm  
**Dark Mode Setting Method:** Adjustable  
**Dimming Response Time:** 1/10000s  
**Response Time:** 0.1s  
**Number of Welding Detection Sensors:** 2  
**Greynding Function:** Yes  
**Launch Sensitivity:** Not Adjustable  
**Delay Sensitivity:** Not Adjustable  
**Operating Temperature:** -10°C~65°C

### PROTECTIVE STANDARD

EN 166 - EN 170 - EN 175 - EN 379


## PRICE

BX-5010 DUAL COLORMATIC MASK



## ACCESSORY PRICES

COLORMATIC LENS



TRANSPARENT EXTERIOR PROTECTION LENS



ANTI-FOG TRANSPARENT INTERIOR GRINDING LENS



## PACKAGE DETAILS



**Number of Boxes:** 1 Piece



**Number of Parcels:** 12 Piece



**Product Weight:** 695 Gr



**Parcel Weight:** 10,5 Kg



**Parcel Dimension:** 69x47x62 Cm



# Max-Weld BX-5010 Dual Pro Adjustable



## PROTECTIVE STANDARD

EN 166 - EN 170 - EN 175 - EN 379



## BX-5030 PRO ADJUSTABLE LENS

**Power Supply Type:** Solar Energy + Battery  
**Bright Mode Level:** DIN3  
**Dark Mode Level:** DIN9-13  
**Lens Size:** 110\*90mm  
**Visible Area:** 92\*43mm  
**Dark Mode Setting Method:** Adjustable  
**Dimming Response Time:** 1/5000s  
**Response Time:** 0.1s  
**Number of Welding Detection Sensors:** 2  
**Greynding Function:** Yes  
**Launch Sensitivity:** Adjustable  
**Delay Sensitivity:** Adjustable  
**Operating Temperature:** -10°C~65°C

## PRICE

BX-5010 DUAL COLORMATIC MASK




## ACCESSORY PRICES

COLORMATIC LENS



TRANSPARENT EXTERIOR  
PROTECTION LENS



ANTI-FOG TRANSPARENT INTERIOR  
GRINDING LENS



## PACKAGE DETAILS



**Number of Boxes:** 1 Piece



**Number of Parcels:** 12 Piece



**Product Weight:** 695 Gr



**Parcel Weight:** 10,5 Kg



**Parcel Dimension:** 69x47x62 Cm



# Max-Weld BX-5010 Solo



## BX-5010 LENS

**Power Supply Type:** Solar Energy + Battery  
**Bright Mode Level:** DIN3  
**Dark Mode Level:** DIN11  
**Lens Size:** 110\*90mm  
**Visible Area:** 90\*30mm  
**Dark Mode Setting Method:** Not Adjustable  
**Dimming Response Time:** 1/10000s  
**Response Time:** 0.1s  
**Number of Welding Detection Sensors:** 2  
**Greynding Function:** No  
**Launch Sensitivity:** Not Adjustable  
**Delay Sensitivity:** Not Adjustable  
**Operating Temperature:** -10°C~65°C

### PROTECTIVE STANDARD

EN 175 - EN 379

## PRICE

BX-5010 SOLO COLORMATIC MASK



## ACCESSORY PRICES

COLORMATIC LENS



TRANSPARENT EXTERIOR PROTECTION LENS



## PACKAGE DETAILS



**Number of Boxes:** 1 Piece



**Number of Parcels:** 12 Piece



**Product Weight:** 475 Gr




**Parcel Weight:** 8 Kg



**Parcel Dimension:** 69x47x62 Cm



# Max-Weld BX-5010 Solo Adjustable



## BX-5020 ADJUSTABLE LENS

**Power Supply Type:** Solar Energy + Battery  
**Bright Mode Level:** DIN3  
**Dark Mode Level:** DIN9-11  
**Lens Size:** 110\*90mm  
**Visible Area:** 90x30mm  
**Dark Mode Setting Method:** Adjustable  
**Dimming Response Time:** 1/10000s  
**Response Time:** 0.1s  
**Number of Welding Detection Sensors:** 2  
**Greynding Function:** Yes  
**Launch Sensitivity:** Not Adjustable  
**Delay Sensitivity:** Not Adjustable  
**Operating Temperature:** -10°C~65°C

### PROTECTIVE STANDARD

EN 175 - EN 379

## PRICE



## ACCESSORY PRICES



## PACKAGE DETAILS



**Number of Boxes:** 1 Piece



**Number of Parcels:** 12 Piece



**Product Weight:** 475 Gr



**Parcel Weight:** 8 Kg



**Parcel Dimension:** 69x47x62 Cm



# Max-Weld BX-5010 Solo Pro Adjustable



## PROTECTIVE STANDARD

EN 175 - EN 379




## BX-5030 PRO ADJUSTABLE LENS

**Power Supply Type:** Solar Energy + Battery  
**Bright Mode Level:** DIN3  
**Dark Mode Level:** DIN9-13  
**Lens Size:** 110\*90mm  
**Visible Area:** 92\*43mm  
**Dark Mode Setting Method:** Adjustable  
**Dimming Response Time:** 1/5000s  
**Response Time:** 0.1s  
**Number of Welding Detection Sensors:** 2  
**Greynding Function:** Yes  
**Launch Sensitivity:** Adjustable  
**Delay Sensitivity:** Adjustable  
**Operating Temperature:** -10°C~65°C

## PRICE



## ACCESSORY PRICES



## PACKAGE DETAILS



**Number of Boxes:** 1 Piece



**Number of Parcels:** 12 Piece



**Product Weight:** 475 Gr



**Parcel Weight:** 8 Kg



**Parcel Dimension:** 69x47x62 Cm



# Max-Weld BX-5200 Wide



## HEAD WELDING MASK WIDE 8X11 CM WITH COVER



### PROTECTIVE STANDARD

EN 175 - EN 379

Glass excluded.

## PRICE

**BX-5200 WIDE COVER**

## PACKAGE DETAILS



**Number of Parcels:** 50 Piece



**Product Weight:** 455 Gr



**Parcel Weight:** 7,6 Kg



**Parcel Dimension:** 69x47x62 Cm





# Max-Weld BX-5200 Narrow



## HEAD WELDING MASK NARROW 5X11 CM WITH COVER



### PROTECTIVE STANDARD

EN 175 - EN 379

Glass excluded.

## PRICE

**BX-5200 NARROW**

## PACKAGE DETAILS



**Number of Parcels:** 50 Piece



**Product Weight:** 455 Gr



**Parcel Weight:** 7,6 Kg



**Parcel Dimension:** 69x47x62 Cm

*opia*



## AUTOMATIC DARKENING WELDING GOGGLES

**FULL COMFORT**

Two Convenient Ways of Use



ADJUSTABLE TEMPLES

ADJUSTABLE BELT  
ACCORDING TO  
HEAD STRUCTURE





# Max-Weld BX-3200 Colormatic Goggles





**NEW**

**SET CONTENT**

**PROTECTIVE STANDARD**  
**EN 379**



1 PCS AUTOMATIC DARKENING WELDING GOGGLES



1 ADJUSTABLE HEAD RUBBER BAND



1 PCS. PROTECTIVE ZIPPER BAG



1 PCS. SCREEN SAVER FILM

## PRICE

**BX-3200 Colormatic Goggles**



## PACKAGE DETAILS



**Number of Parcels:** 100 Piece



**Product Weight:** 70Gr



**Bag Weight:** 35 Gr



**Parcel Weight:** 12 Kg



**Parcel Dimension:** 53x40x36 Cm

# Bumpcap Helmet Shock Absorption Hat




## Bumbcap Helmet

Impact-absorbing cap is a protective cap against hitting or scraping the head against fixed or moving objects. Standard production size is 54-60cm. It fits to the head easily. It provides comfort to the user by accelerating the air flow with 6 ventilation holes. The headband is made of sponge so that it can absorb the possible impact. It has a comfortable use due to the light weight of the bump cap.



# Bumpcap Helmet / Winter



## PRICE

NORMAL	WITH SPECIAL LOGO

## PACKAGE DETAILS



**Number of Parcels:** 50 Piece



**Product Weight:** 159 Gr



**Parcel Weight:** 9 Kg



**Parcel Dimension:** 20x40x40 Cm



# Bumpcap Helmet / Summer



## PRICE

NORMAL	WITH SPECIAL LOGO

## PACKAGE DETAILS



**Number of Parcels:** 50 Piece



**Product Weight:** 159 Gr



**Parcel Weight:** 9 Kg



**Parcel Dimension:** 20x40x40 Cm



# BX-2500 Solo







PROTECTIVE STANDARD

**EN 166**

**EN 167**

**EN 169**

**EN 170**

**EN 172**

Transparent








## PRICE

NORMAL	ANTI-FOG (Anti-scratch)	Rainbow Mirrored	Silver Mirrored

## PACKAGE DETAILS



-  **Number of Boxes:** 12 Piece
-  **Number of Parcels:** 192 Piece
-  **Product Weight:** 31 Gr
-  **Parcel Weight:** 8,7 Kg
-  **Parcel Dimension:** 44x55x31,5 Cm



# BX-2500 Solo Ergo







**PROTECTIVE STANDARD**

- EN 166
- EN 167
- EN 169
- EN 170
- EN 172

**Transparent**



Smoke



Black



Yellow



Blue



Red



Green



Rainbow Mirrored



Silver Mirrored

## PRICE

NORMAL	ANTI-FOG (Anti-scratch)	Rainbow Mirrored	Silver Mirrored

## PACKAGE DETAILS



**Number of Boxes:** 12 Piece



**Number of Parcels:** 192 Piece



**Product Weight:** 35 Gr



**Parcel Weight:** 9,3 Kg



**Parcel Dimension:** 44x55x31,5 Cm





# BX-2500 Solo Dual







**PROTECTIVE STANDARD**

- EN 166
- EN 167
- EN 169
- EN 170
- EN 172

Transparent








## PRICE

NORMAL	ANTI-FOG (Anti-scratch)	Rainbow Mirrored	Silver Mirrored

## PACKAGE DETAILS



-  **Number of Boxes:** 12 Piece
-  **Number of Parcels:** 192 Piece
-  **Product Weight:** 45 Gr
-  **Parcel Weight:** 11,2 Kg
-  **Parcel Dimension:** 44x55x31,5 Cm



# BX-2500 Comfort



### PROTECTIVE STANDARD

- EN 166
- EN 167
- EN 169
- EN 170
- EN 172

**NEW**

**Transparent**



Smoke



Black



Yellow



Blue



Red



Green



Rainbow Mirrored



Silver Mirrored

## PRICE

NORMAL	ANTI-FOG (Anti-scratch)	Rainbow Mirrored	Silver Mirrored

## PACKAGE DETAILS



**Number of Boxes:** 12 Piece



**Number of Parcels:** 192 Piece



**Product Weight:** 45 Gr



**Parcel Weight:** 11,2 Kg



**Parcel Dimension:** 44x55x31,5 Cm



# BX-2500 Comfort Ergo



## PROTECTIVE STANDARD

- EN 166
- EN 167
- EN 169
- EN 170
- EN 172

**NEW**



**Transparent**



Smoke



Black



Yellow



Blue



Red



Green



Rainbow Mirrored



Silver Mirrored

## PRICE

NORMAL	ANTI-FOG (Anti-scratch)	Rainbow Mirrored	Silver Mirrored

## PACKAGE DETAILS



**Number of Boxes:** 12 Piece



**Number of Parcels:** 192 Piece



**Product Weight:** 47,5 Gr



**Parcel Weight:** 11,7 Kg



**Parcel Dimension:** 44x55x31,5 Cm



# BX-2500 Comfort Dual



### PROTECTIVE STANDARD

- EN 166
- EN 167
- EN 169
- EN 170
- EN 172

Transparent



Smoke



Black



Yellow



Blue



Red



Green



Rainbow Mirrored



Silver Mirrored

## PRICE

NORMAL	ANTI-FOG (Anti-scratch)	Rainbow Mirrored	Silver Mirrored

## PACKAGE DETAILS



**Number of Boxes:** 12 Piece



**Number of Parcels:** 192 Piece



**Product Weight:** 57,3 Gr



**Parcel Weight:** 13,6 Kg



**Parcel Dimension:** 44x55x31,5 Cm



# BX-2550 Armor







**PROTECTIVE STANDARD**  
 EN 166  
 EN 167  
 EN 169  
 EN 170  
 EN 172

**Transparent**






			
Smoke	Black	Yellow	Blue
			
Red	Green	Rainbow Mirrored	Silver Mirrored

## PRICE

NORMAL	ANTI-FOG (Anti-scratch)	Rainbow Mirrored	Silver Mirrored

## PACKAGE DETAILS



-  **Number of Boxes:** 12 Piece
-  **Number of Parcels:** 72 Piece
-  **Product Weight:** 82 Gr
-  **Parcel Weight:** 7,77 Kg
-  **Parcel Dimension:** 28x58x37 Cm

# S-500 Silver Mirrored



**Meet our New Silver  
Mirrored Lens Model**

It protects the eye from damage of sunlight and glare. It helps in welding and to distinguish traffic lights while driving. It provides UV filtered protection against 99.9% radiation up to 385 nm.



**Anti-fog and Anti-Scratch**

# OUR COVID-19 MODELS



## PROTECTIVE GOGGLES AGAINST INFECTIOUS DISEASES



S-400




S-550



S-700



S-1551



S-1551-V



BX-2550



# S-600 ANTI-FOG GLASSES SET WITH BAG



## Set Content

- ✓ Yellow, Smoke, Welding and Transparent Lens with Anti-Fog (Anti-Fog and Anti-Scratch) feature
- ✓ Bag made of impact and water-resistant special fabric
- ✓ S-600 style frame with detachable feature
- ✓ Goggles cleaning wipes

\* Can be attached to a belt, made of impact and water-resistant special fabric. There are special sections for lenses inside.

You may add the colors you wish.



## PRICE

ADDITIONAL LENS PRICE

SET PRICE



Number of Parcels: 48 Sets





# S-300 SPORT



## PROTECTIVE STANDARD

EN 166

EN 170

Transparent



Smoke



Black



Yellow



Blue



Red



Green



Rainbow Mirrored



Silver Mirrored

## PRICE

NORMAL	ANTI-FOG (Anti-scratch)	Rainbow Mirrored	Silver Mirrored

## PACKAGE DETAILS



**Number of Boxes:** 12 Piece



**Number of Parcels:** 360 Piece



**Product Weight:** 30 Gr



**Parcel Weight:** 15 Kg



**Parcel Dimension:** 56x50x56 Cm



# S-400 STANDARD



## PROTECTIVE STANDARD

EN 166

EN 170



Transparent



Smoke




Black



Yellow



Blue



Red



Green



Rainbow Mirrored



Silver Mirrored

## PRICE

NORMAL	ANTI-FOG (Anti-scratch)	Rainbow Mirrored	Silver Mirrored

## PACKAGE DETAILS



**Number of Boxes:** 12 Piece



**Number of Parcels:** 360 Piece



**Product Weight:** 30 Gr



**Parcel Weight:** 15,5 Kg



**Parcel Dimension:** 56x50x56 Cm




# S-400 HUNTER



## PROTECTIVE STANDARD

EN 166  
EN 170



Transparent

\*\* 4-Movement temples provide complete comfort by moving back and forth and up and down.



Smoke



Black



Yellow



Blue



Red



Green



Rainbow Mirrored



Silver Mirrored

## PRICE

NORMAL	ANTI-FOG (Anti-scratch)	Rainbow Mirrored	Silver Mirrored

## PACKAGE DETAILS



**Number of Boxes:** 12 Piece



**Number of Parcels:** 360 Piece



**Product Weight:** 37 Gr



**Parcel Weight:** 17,5 Kg



**Parcel Dimension:** 56x50x56 Cm



# S-500 DYNAMIC



## PRICE

NORMAL	ANTI-FOG (Anti-scratch)	Rainbow Mirrored	Silver Mirrored

## PACKAGE DETAILS



**Number of Boxes:** 12 Piece



**Number of Parcels:** 360 Piece



**Product Weight:** 31 Gr



**Parcel Weight:** 15,5 Kg



**Parcel Dimension:** 56x50x56 Cm



# S-503 MASTER'S GLASSES



**PROTECTIVE STANDARD**

**EN 166**

**EN 170**



**Transparent**



**Smoke**



**Black**



**Yellow**



**Blue**



**Red**



**Green**



**Rainbow Mirrored**



**Silver Mirrored**

## PRICE

NORMAL	ANTI-FOG (Anti-scratch)	Rainbow Mirrored	Silver Mirrored

## PACKAGE DETAILS



**Number of Boxes:** 12 Piece



**Number of Parcels:** 360 Piece



**Product Weight:** 35 Gr



**Parcel Weight:** 17 Kg



**Parcel Dimension:** 56x50x56 Cm



# S-600 STYLE



## PROTECTIVE STANDARD

EN 166  
EN 170



Transparent



## PRICE

NORMAL	ANTI-FOG (Anti-scratch)	Rainbow Mirrored	Silver Mirrored

## PACKAGE DETAILS



**Number of Boxes:** 12 Piece



**Number of Parcels:** 360 Piece



**Product Weight:** 32 Gr



**Parcel Weight:** 15,5 Kg



**Parcel Dimension:** 56x50x56 Cm



# S-700 MAJOR (Coverspec Glasses)



## PROTECTIVE STANDARD

EN 166  
EN 170

Transparent



Smoke



Black



Yellow



Blue



Red



Green



Rainbow Mirrored



Silver Mirrored

## PRICE

NORMAL	ANTI-FOG (Anti-scratch)	Rainbow Mirrored	Silver Mirrored

## PACKAGE DETAILS



**Number of Boxes:** 10 Piece



**Number of Parcels:** 300 Piece



**Product Weight:** 41 Gr



**Parcel Weight:** 16,5 Kg



**Parcel Dimension:** 56x50x56 Cm



# S-800 HUNTER COMFORT



## PROTECTIVE STANDARD

EN 166

EN 170



Transparent



\* 4-Movement temples provide complete comfort by moving back and forth and up and down.



Smoke



Black



Yellow



Blue



Red



Green



Rainbow Mirrored



Silver Mirrored

## PRICE

NORMAL	ANTI-FOG (Anti-scratch)	Rainbow Mirrored	Silver Mirrored

## PACKAGE DETAILS



**Number of Boxes:** 12 Piece



**Number of Parcels:** 360 Piece



**Product Weight:** 32 Gr



**Parcel Weight:** 16 Kg



**Parcel Dimension:** 56x50x56 Cm





## S-900 CURVED



### S-900 CURVED

**LIGHT, CHIC**

**ECONOMIC**

The side-curved polycarbonate lens protects the eye against external hazards.



The temples that move back and forth allow the glasses to be adjusted according to the face.





# S-900 CURVED







Adjustable

PROTECTIVE STANDARD

Transparent



**EN 166**

**EN 167**

**EN 169**

**EN 170**








## PRICE

NORMAL	ANTI-FOG (Anti-scratch)	Rainbow Mirrored	Silver Mirrored

## PACKAGE DETAILS



-  **Number of Boxes:** 12 Piece
-  **Number of Parcels:** 360 Piece
-  **Product Weight:** 24 Gr
-  **Parcel Weight:** 13 Kg
-  **Parcel Dimension:** 56x50x56 Cm



# S-1100 QUATTRO



## PROTECTIVE STANDARD

EN 166  
EN 170

Transparent



## PRICE

NORMAL	ANTI-FOG (Anti-scratch)	Rainbow Mirrored	Silver Mirrored

## PACKAGE DETAILS



**Number of Boxes:** 12 Piece



**Number of Parcels:** 360 Piece



**Product Weight:** 23 Gr



**Parcel Weight:** 12,5 Kg



**Parcel Dimension:** 56x50x56 Cm



# S-550 GRAND



## PROTECTIVE STANDARD

EN 166  
EN 170

Transparent



Smoke



Black



Yellow



Blue



Red



Green



Rainbow Mirrored



Silver Mirrored

## PRICE

NORMAL	ANTI-FOG (Anti-scratch)	Rainbow Mirrored	Silver Mirrored

## PACKAGE DETAILS



**Number of Boxes:** 12 Piece



**Number of Parcels:** 144 Piece



**Product Weight:** 121 Gr



**Parcel Weight:** 20,5 Kg



**Parcel Dimension:** 57x39x57 Cm



# S-550 GRAND ADJUSTABLE



## PROTECTIVE STANDARD

EN 166  
EN 170

Transparent



Smoke



Black



Yellow



Blue



Red



Green



Rainbow Mirrored



Silver Mirrored

## PRICE

NORMAL	ANTI-FOG (Anti-scratch)	Rainbow Mirrored	Silver Mirrored

## PACKAGE DETAILS



**Number of Boxes:** 12 Piece



**Number of Parcels:** 144 Piece



**Product Weight:** 125 Gr



**Parcel Weight:** 21,5 Kg





**Parcel Dimension:** 57x39x57 Cm



FRAME OPTIONS



Lens Colors



ASK FOR THE PRICES

# ANTI-FOG

## ANTI-SCRATCH



OPTIONAL ANTI-FOG FEATURE OFFERS A NET LINE OF VISION



# S-1551 QUATTRO



## PROTECTIVE STANDARD

EN 166  
EN 169  
EN 170



Transparent



Smoke



Black



Yellow



Blue



Red



Green



Rainbow Mirrored



Silver Mirrored

## PRICE

NORMAL	ANTI-FOG (Anti-scratch)	Rainbow Mirrored	Silver Mirrored

## PACKAGE DETAILS



**Number of Boxes:** 12 Piece



**Number of Parcels:** 144 Piece



**Product Weight:** 81 Gr



**Parcel Weight:** 15 Kg



**Parcel Dimension:** 57x39x57 Cm





# S-1551 QUATTRO VENTILED



## PROTECTIVE STANDARD

EN 166  
EN 169  
EN 170

Transparent



Smoke



Black



Yellow



Blue



Red



Green



Rainbow Mirrored



Silver Mirrored

## PRICE

NORMAL	ANTI-FOG (Anti-scratch)	Rainbow Mirrored	Silver Mirrored

## PACKAGE DETAILS



**Number of Boxes:** 12 Piece



**Number of Parcels:** 144 Piece



**Product Weight:** 87 Gr



**Parcel Weight:** 16 Kg



**Parcel Dimension:** 57x39x57 Cm



## S-501 INTEGRAL Blue



### PROTECTIVE STANDARD

EN 166

EN 170



Blue

## S-502 INTEGRAL Black

### PROTECTIVE STANDARD

EN 166

EN 170



Black

## PRICE

NORMAL

## PACKAGE DETAILS



**Number of Boxes:** 12 Piece



**Number of Parcels:** 144 Piece



**Product Weight:** 122 Gr



**Parcel Weight:** 21 Kg



**Parcel Dimension:** 57x39x57 Cm

# S-700 MAJOR





# 2500 COMFORT DUAL

100% ERGONOMIC  
100% COMFORT



Innovation Health & Medical

**PROVIDES FULL PROTECTION**

There may be a tonal difference in the product color depending on the studio lights.

All rights reserved. It cannot be reproduced, distributed or used for any other purpose without permission.

Copyright © 2022 BAYMAX Kişisel Koruyucu Donanımları Üretim Sanayi Ticaret Anonim Şirketi



# Max-Weld BX-3200 Colormatic Goggles





**NEW**

**SET CONTENT**

**PROTECTIVE STANDARD**  
**EN 379**



1 PCS AUTOMATIC DARKENING WELDING GOGGLES



1 ADJUSTABLE HEAD RUBBER BAND



1 PCS. PROTECTIVE ZIPPER BAG



1 PCS. SCREEN SAVER FILM

## PRICE

**BX-3200 Colormatic Goggles**



## PACKAGE DETAILS



**Number of Parcels:** 100 Piece



**Product Weight:** 70Gr



**Bag Weight:** 35 Gr



**Parcel Weight:** 12 Kg



**Parcel Dimension:** 53x40x36 Cm